

2017 MULE PRO-FXT EPS LE

Serious Performance for Leisure and Work

Kawasaki's flagship Mule, the PRO-FXT LE maintains the durability for which the Mule workhorses are famous, and adds increased engine performance, improved handling, and increased functionality to greatly boost the outdoor entertainment potential. The markedly improved functional comfort means longer hours can be spent doing hard work or enjoying leisure activities.



The Mule PRO-FXT's combination of performance, durability, comfort and convenience make it the industry's most dependable outdoor partner. The PRO-FXT LE seats up to 6 adults. ROPS approved Cab Frame for added peace of mind.



* Terms & Conditions Available from Kawasaki Mule / Teryx Dealerships

Engine:	
Type	Liquid-cooled, 4-stroke 3-cylinder
Displacement	812 cm ³
Bore and Stroke	72.0 x 66.5 mm
Compression ratio	9.5:1
Valve system	DOHC, 4 valves
Fuel system	Fuel Injection: 34mm x 1
Ignition	Battery & Coil
Starting	Electric
Lubrication	Forced Lubrication, wet sump
Drivetrain:	
Transmission	Dual Range (high/low) CVT with reverse
Primary Drive	Belt Converter
Final Drive	2WD/4WD shaft Dual-Mode Differential
Primary reduction ratio	3.33 - 0.76 (belt converter)
Gear Ratios:	
Forward (High)	1.136 (25/22)
Forward (Low)	0.954 (21/22)
Reverse	0.791 (19/24)
Final reduction ratio	2.866 (43/15)
Frame:	
Type	Ladder type, tubular steel
Wheel travel:	
Front	222 mm
Rear (left, right)	217mm, 220mm
Tyre:	
Front	26 x 9.00R12 4PR
Rear	26 x 11.0R12 4PR
Caster (rake)	4.4°
Track (front / rear)	1389 mm / 1321 mm
Steering angle (left/right)	40°(IN) / 31° (OUT), 40° (IN) / 41° (OUT)

Suspension:	
Front	Double Wishbone
Rear	Double Wishbone
Brakes:	
Front:	Dual 212 mm discs with two-piston calipers
Rear:	Dual 212 mm discs with single-piston calipers
Parking Brake:	Dual Disc (mechanical)
Dimensions:	
Overall length	3385 mm
Overall width	1625 mm
Overall height	2020 mm
Wheelbase	2345 mm
Ground clearance	260 mm
Seat height	880 mm (front), 965 mm (rear)
Curb mass	869 kg (includes full tank of fuel and all liquids at optimum levels)
Dry Weight	833 kg
Fuel capacity	30.0 L
Performance:	
Maximum Power	35kW {48PS} / 5500 rpm
Maximum Torque	65 N.m {6.6kgf.m} / 3500 rpm
Minimum Turning Radius	4.8m
Cargo Bed Capacity	453 kg (3 person mode) / 158 kg (6 person mode)
Cargo Box (inside) L x W x H	1085 x 1363 x 279 mm (3 person mode)
	560 x 1363 x 279 mm (6 person mode)
Seating Capacity	3 or 6 person
Max. Permissible Load	740 kg
Max Towing Capacity	907 kg
Warranty:	
	3 year warranty ? Terms & Conditions Apply ? Discuss with a Kawasaki Dealer?
Colours:	
Superblack	



The specifications mentioned here apply to and have been achieved by production models under standard operating conditions. We intend only to give a fair description of the vehicle and its performance capabilities but these specifications may not apply to every machine supplied for sale. Kawasaki Heavy Industries, Ltd. reserves the right to alter specifications without prior notice. Equipment illustrated and specifications may vary to meet individual markets.




Seating for SIX or THREE adults

The PRO-FXT can seat up to 6 adults with seat belts....and...it can transform in only 1 minute, with 1 person, to a 3 seat vehicle with increased cargo space. The unique feature of this Mule is the Easy Trans Cab mechanism - 3 seats to 6 seats. Maximise the carrying capacity in the cargo bed in 3-person mode or maximise the personnel transport in 6-person mode. The sliding cargo wall is integrated with the cargo bed and slides easily on nylon pads - 1 person transformation execution.



To transform from 6 person to 3 person mode, release the seat latches and disengage the cargo wall securing mechanism; fold the seat bottom out of the way; slide the cargo wall forward; lower the cargo wall and reattach the seat to secure the cargo wall.




Powerful Engine: Inline Triple

Making its mark in a Kawasaki MULE, the three cylinder petrol engine offers significant performance gains over earlier models. In addition to greater towing and carrying capacity, this stronger performance also translate to a higher top speed - which means arriving at your destination earlier, and having more fun getting there.

Powerful, liquid cooled, 812cm³ DOHC, 4 valves per cylinder, fuel injected inline triple engine churns out significantly more power than the MULE 4000 Series models. Ample low-end torque contributes to smooth, responsive power at low speeds. Fuel injection ensure the fuel delivery is instantaneous, contributing to predictable response for easy control.

Extended Riding Range

A 30 litre fuel tank offers the range to enable long forays with family and friends. Enough fuel to travel well into the bush to find that perfect camping spot and to get back out again.



Hydraulic Disc Brakes

Front and rear disc brakes ensure strong, sure stopping power. The hydraulic disc system offers predictable performance, delivering brake power that matches input at the brake pedal.

Front Discs are 212mm and gripped by two-piston (27mm) calipers. Rear Discs are 212mm with single 34mm piston caliper. Semi-metallic brake pads offer the right balance between braking power and long life.

Durability

Kawasaki MULE side x sides are famous for their durability and the MULE PRO-FXT LE is no exception. Built to last in punishing conditions, Kawasaki's flagship MULE also looks tough thanks to the rugged styling. The rugged frame construction ensures great durability as well as superb handling. The frame features a ladder-type construction and is built from square tubes of high quality steel. High tensile steel has been used in area of high-load (like the suspension mounting plates).

After undergoing extensive stiffness balance testing, the frame offers good lateral and torsional stiffness. The right amount of chassis flex to handle the shock of off-road work while maintaining a high level of ride comfort.

ROPS approved cab frame and inertia reel seat belts are standard for added peace of mind. Always wear an approved helmet and read the owners manuals.

Built Tough

In addition to the tough engine and rugged frame construction, numerous features add to the PRO-FXT LE's strong build:

- Water-resistant engine backing plate, spark plug cover, CVT duct layout and differential breather layout are all designed to minimise the ingress of water.
- Front and rear wheel housings keep mud, dirt and water from getting into the engine compartment and away from essential components.
- Efficient air cleaner design, including a labyrinth layout, rubber seal and paper filter element helps keep the engine free from dust
- High quality stainless steel exhaust system
- Larger guage mounting bolts used at the A-arm pivots and suspension upper and lower mounts were chosen specifically for their contribution to suspension durability.
- Fuel tank is positioned well away from the wheels to prevent it from

being hit by flying debris, and features a guard for further protection.



Rugged Styling

Designed to reflect the tough construction and strong performance, the MULE PRO-FXT LE features rugged, no-nonsense styling similar to that found on hard working utility vehicles.

- Wide stable stance
- Steel front bumpers
- Newly designed cast aluminium wheels.
- Clean dashboard design includes switches for the lights, selectable 4WD, rear differential lock.
- Door decals are colour matched to the



bodywork

Comfort

The MULE PRO-FXT LE model offers a number of comfort and convenience features to ensure that everyone enjoys the ride. The PRO-FXT LE has low vibration and excellent bump absorption when tackling obstacle on the trail and it runs quietly.

- Full rubber mounting on the engine.
- Double wishbone suspension
- Twin tube shock absorbers
- Heat deflector shields
- Roomy interior for up to 6 adults
- 3 point seat belts for all people in the vehicle
- Seat material has superb elasticity, offer increased comfort, holding and durability
- The seat material is resistant to cold, allowing it to maintain suppleness
- Rear seat are upright with ample leg room
- Stadium style rear seat is positioned slightly higher than the front
- Handgrips and holds for the front and rear passengers
- Shoulder guards integrated into the ROPS frame



Cargo and Towing

The cargo bed dimensions / capacity vary for 3 and 6 person mode.

- 3 person mode: 1085 x 1363 x 279mm / Capacity: 453kg
- 6 person mode: 560 x 1363 x 279mm / Capacity: 158kg

The cargo bed's flat bottom helps to make an efficient use of space and facilitate securing items being carried. The bed is highly durable - 1.5m thick diamond plate steel

- Gas assisted tilting cargo bed
- Two lever tailgate release system
- The blow moulded tail gate features built-in cup holders
- Cargo bed walls are designed with slots to accommodate dividers
- Square pipes along the top of the cargo bed side walls provide tie-down points

The PRO-FXT LE has a 907kg towing capacity. Standard 2" tow hitch receiver is compatible with a wide range of accessory hitches.



Bright Headlights and Large Tyres

Dual 55/60W headlights cut a bright path through the dark for clear visibility on night rides.

Auxiliary LED headlights are standard on the PRO-FXT LE model, adding even more lighting power.

The MULE PRO-FXT LE is equipped with 26" tyres on 12" rims. The large 26" radial tyres easily overcome obstacles and contribute to the PRO-FXT's excellent rough road handling.



Digital Instrumentation

Multi function display built into the dash is standard on the PRO-FXT LE. Features include:

- Digital speedometer
- Digital fuel gauge
- odometer
- hour meter
- clock
- dual trip meters
- 2WD / 4WD indicator
- Parking indicator
- Water temperature warning indicator



Tilt Steering

Steering wheel has a stepless range of approximately 40° allowing drivers to set the position to suit personal preference. This can also be used to lift the steering wheel out of the way to facilitate getting in and out of the vehicle. The thickly cushioned steering wheel contributes to comfort as well as the high quality feel of the PRO-FXT LE.

Electric Power Steering (EPS)

Kawasaki's high grade electric power steering



- Fuel injection warning indicator
- CVT warning light
- EPS warning light
- Neutral indicator light
- Reverse indicator light
- Oil pressure warning light

DC Sockets


Two DC sockets are integrated into the dashboard provide power supply (up to 120W) for accessory items or personal device charging.

On the PRO-FXT LE two more DC sockets are available in the rear (behind the driver's seat). The second power source can also provide up to 120W for rear passenger use. Additional 12V DC wiring harness connectors can be found, 1 in the front behind the dash and 1 at the rear right hand side under the tray.



(EPS) system works best when you need it most: at extreme slow speed and when stopped. turning the wheel causes a signal to be sent to the EPS ECU, initiating assistance. At slow speed or when stopped, assistance is greatest; assistance is reduced as vehicle speed increases to ensure stable handling. The EPS system also enhances the ride comfort and control by acting as a damping system.

The electric system works immediately, without time lag, when the engine is first started. The EPS system does not rely on an oil pump, therefore there is no engine power loss and fuel efficiency is uncompromised.



Numerous Genuine Accessories

Talk to your local Kawasaki dealership about your needs. The PRO-FXT LE comes standard with doors, auxiliary lights, hard roof, cast aluminium rims. Below is a list of just a few other items that may suit your needs:

- Accessory Mounts
- Accessory Fuse Kit
- Half/Full windshield
- Horn Kit
- Cab Enclosed Hard
- Back-up beeper
- Skid Plates
- CV Guards
- LED Lightbar
- Tail light guards
- Rear Bumper
- Hitch drawbar
- Rifle case mount
- Gun Boot
- Hydraulic Bed Lift Kit
- Cargo box
- Cargo Mat
- Floor Mats Front and Rear
- Winch Mount Kit
- Winches
- Centre Console
- Click on the Genuine Accessories tab for more information

Storage

Passenger side glove box provides enclosed storage for small items. Three dashboard pockets (left, centre, right) provide a handy place to put small items. The centre pocket is large enough to accommodate the accessory audio system.

Two drink holders are built into the bodywork of the front dashboard. An accessory bin can be fitted under the front bench seat for convenient covered storage. Optional Accessory underseat storage available.



2WD / 4WD Easy Change

Electrically selectable 2WD / 4WD and dual-mode rear differential system to allow easy changing between drive systems to suit changing terrain and applications.

Flipping the switches causes the systems to engage instantly, ensuring the rider has full control of when 4WD or the rear differential lock is activated.


Dual-mode rear differential provides maximum traction when in locked mode and minimises ground clearance when unlocked.

Colour

Super Black



Accessories for KAF820CHF 2017 MULE Pro-FXT EPS LE (2759)



ACCESSORY FUSE BOX

The Accessory Fuse Box allows for seamless integration and the convenience of operating up to six Kawasaki Genuine Accessories from the comfort and confines of your vehicles cabin. Purchase as an optional accessory of the Kawasaki Genuine Hard Cab Enclosure. **IMPORTANT NOTES:** Required to supply power to certain Kawasaki Genuine Accessories. Check each electrical accessory installation requirements individually.

AUDIO SYSTEM

Built to withstand the elements, this compact Audio System is packed with features that make listening to audio in remote locations a reality Located within the polyethylene plastic housing is a compact marine grade 4. AM/FM stereo, two compact 3 marine grade speakers, USB and AUX input adapter and amplified internal antenna. The system is pre-assembled and ready to securely mount to your dash with a simple two-wire, plug-and-play installation. **Additional Stereo Features:** AM/FM/USB stereo Long-range amplified internal antenna provides amazing clarity Large, daylight readable LCD display with blue backlit controls for a user-friendly interface Marine grade IPX6 waterproof design 40w x 4 maximum output for powerful sound RCA amplifier line-out Audio tone, balance, and fade controls **Additional Speakers Features:** 3 marine grade 2-way speakers

BACK-UP BEEPER

Whether on the job site or the farm, a Back-up Beeper is a necessary and often required addition to alert others that your vehicle is reversing. **Important Notes:** wires directly to the reverse switch on the transmission.

BEACON STROBE LIGHT

Affix a Beacon Strobe Light to the roof of your Hard Cab Enclosure to alert others of your presence on the job site or when visibility is at a premium, industrial grade components and LED bulbs make this accessory extremely durable, dependable and energy efficient. **Important Notes:** Requires Hard Cab Enclosure, Accessory Fuse Box KAF080-042 and Rear Accessory Harness KAF080-044.



BRUSH GUARD

Add protection and aggressive style to the front of your vehicle with this durable laser cut, formed steel brush guard. Powder coated in textured black to match the stock front bumper for a uniform look. Built-in headlight guards and mounting tabs for the Kawasaki Genuine LED lighting Kit, provide additional versatility as well as saving you money when compared to purchasing these items separately.

Cab Enclosure - Soft

Customization with a Kawasaki Genuine Soft Cab Enclosure provides a lightweight, stylish and affordable package Made from 600 denier Sur Last? water-resistant fabric Clear zippered partition between front and rear seats allows for complete cab enclosure in both three and six passenger modes Installation of Soft Cab Enclosure does not impact ease of vehicle transformation Offered in Black or Realtree? Xtra? Green Requires KQR Full Windshield Plastic (KAF080-001) and Soft Doors Black (KAF080-016) to complete Soft Cab Enclosure system **Caution:** An enclosed trailer is recommended when transporting a vehicle with a Soft Cab Enclosure installed

Cab Enclosure - Soft Doors

Customization with a Kawasaki Genuine Soft Cab Enclosure provides a lightweight, stylish and affordable package Made from 600 denier Sur Last? water-resistant fabric **Doors** offered as a set of 4 in Black (KAF080-016). Soft Cab Enclosure sold separately **Doors** securely fasten to the existing bodywork and are held closed with a unique magnet latching system Large side windows offer additional light and unzip for added ventilation Installation of Soft Cab Enclosure does not impact ease of vehicle transformation **Doors** are offered as a set of four Requires Soft Cab Enclosure and KQR Full Windshield Plastic (KAF080-001) to complete Soft Cab Enclosure system **Caution:** An enclosed trailer is recommended when transporting a vehicle with a Soft Cab Enclosure installed

CARGO BED LIFT - HYDRAULIC

Raise and lower your cargo bed with a Hydraulic Cargo Bed Lift, saving energy and increasing productivity. Featuring "earth mover" grade lifting power in a self-contained hydraulic system for a product you can count on each and every workday -- no hoses, no reservoir to fill or top off, no bleeding process.



CARGO LIGHT

Working late into the night? Illuminate your cargo or simply shed some light on the rear of your vehicle to safely complete that last minute task in the dark. Purchase as an optional accessory for the Kawasaki Genuine Hard Cab Enclosure. Important Notes: Requires Hard Cab Enclosure, Accessory Fuse Box KAF080-042 and Rear Accessory Harness



CARGO MAT

Protect your cargo bed base with these tough 4.76mm extra thick rubber mats. Unique two piece design does not interfere with transition from long to short bed mode. The extra thick rubber also prevents cargo from sliding and reduces sound levels caused from vibration.



CENTER CONSOLE

Safely store small tools, important documents and any additional items in this durable water resistant Center Console. Hinged lid locks into place when closed and is covered with a 750mm thick foam pad for driver and passenger comfort. Attaches quickly and easily to the front bench seat in the centre passenger position with provided shock cords. IMPORTANT NOTES: Front seat application only.



CLEANER WIPE DOWN

* High gloss formula specifically developed for the Powersports industry * Wipe down cleaner coats plastic, fiberglass and painted surfaces * Restores showroom shine in a few quick wipes * Makes cleaning process fast, simple and effortless * Leaves a clear coat film for extended protection against the elements * 12 US FLOZ (355mL)



COOLANT ALUMA-COOL

* Full strength engine coolant (not pre-diluted) * T-Triazole for maximum corrosion protection in aluminium cooling systems * Contains foam and rust inhibitors



DETAILER WAX AND SHINE

* The All-In-One Detailer that cleans shines and protects all painted surfaces, chrome parts, windshields and plastics * Carnauba wax formulation provides a deep show-like shine making your vehicles painted surfaces come to life * Easy spray applicator * 12 US FLOZ (355mL)



FLOOR MATS - FRONT

Protect your feet and floorboards with these tough 187mm extra thick rubber mats. Each mat has been modded for a perfect fit and mounts directly to the floorboard to help prevent movement. The extra thick rubber also reduces sound levels caused from vibration.




FLOOR MATS - REAR

Protect your feet and floorboards with these tough 187mm extra thick rubber mats. Each mat has been molded for a perfect fit and mounts directly to the floorboard to help prevent movement. The extra thick rubber also reduces sound levels caused from vibration. Includes left and right mats.




FLUID BRAKE DOT 3&4

* Performs consistently over a broad range of temperatures * Meets all DOT 3/4 specs for universal application



FRONT ACCESSORY HARNESS

Front Accessory Harness.




FRONT SKID PLATE

Protect your drive chain and chassis with a durable brushed aluminium Kawasaki Genuine Skid Plate. Unlike the aftermarket plate, each Genuine plate has been designed with precise ventilation holes and has been tested to prevent high engine temps during hard use or hot weather.




GREASE MULTIPURPOSE

* Multi-purpose extreme pressure, lithium complex grease which imparts superior high and low temperature characteristics and chemical stability * High tensile strength provides durability under heavy loads, resists mechanical breakdown and water "wash-out" * Offers excellent rust & oxidation protection and is highly compatible with seals * 16 OZ (454g)



GUARD - REAR CV JOINT

While operating your vehicle in rough terrain these lightweight CV Joint Guards protect your rear a-arms, axles, brake-lines and CV Boots. In addition to protection, the full-coverage design adds a custom look to your vehicle.



GUARDS - FRONT CV JOINT

While operating your vehicle in rough terrain these lightweight CV Joint Guards protect your front a-arms, axles, brake-lines and CV Boots. In addition to protection, the full-coverage design adds a custom look to your vehicle.



HARD CAB FRONT DOORS

A required component of the Kawasaki Genuine Hard Cab Enclosure system. Each door features automotive style lockable latches, sliding safety glass side windows and built-in mesh storage compartments for storage of small items. TPO plastic inner and outer skin construction delivers a lightweight door that is extremely durable and impact resistant. Includes set of 2 Front doors. IMPORTANT NOTES: not for individual use. Purchase as a required component of the Hard Cab Enclosure KAF080-003



HORN

Install a horn to alert others of your presence while on the job site or the trail. Internally Mounted. (INCLUDES: WIRING HARNESS AND SWITCH).



KOLPIN GUN BOOT 6.0 TRANSPORT

Securely transport and conveniently store your rifle with the Kolpin Gun Boot 6.0 Transport case. Extra-large interior features two layers of dense closed cell foam for protection and is roomy enough to accommodate a variety of fire-arms, including: rifles up to 129.54cm in total length, scopes up to 60mm, pistol grip type rifles and left and right hand bolt action weapons.



KQR - CARGO BOX

Add secure storage within your vehicle's cargo bed in seconds. The KQR Cargo Box utilizes two KQR Accessories mounts KAF080-012 (Sold Separately) to quickly attach to either cargo bed rail. Ample internal dimensions provide plenty of storage space for transporting tools, equipment, straps. Tie-downs, emergency kits, or trail snacks. Important Notes: Requires 2 KQR Accessories Mounts KAF080-012.



KQR FULL GLASS WINDSHIELD

A required component of the Kawasaki Genuine Hard Cabin Enclosure system. Made from DOT approved AS1 safety glass, the KQR Full Windshield provides wind and debris protection for improved in-cabin comfort. With the KQR installation system once installed you can quickly install and remove the windshield without the use of tools. IMPORTANT NOTES: Not for individual use. Install as a required component of the Hard Cabin Enclosure system.



KQR PLASTIC FULL WINDSHIELD

Made from scratch-resistant polycarbonate, the KQR Full Windshield provides wind and debris protection for improved in-cabin comfort. With the added KQR installation system, once installed, you can quickly install and remove the windshield without the use of tools.



KQR PLASTIC WINDSHIELD - HALF

Deflect direct wind blasts while maintaining comfortable air-flow throughout cabin with this KQR installation system, once installed, you can quickly install and remove the windshield without the use of



KQR RIFLE CASE MOUNT

The KQR Rifle Case Mount allows for secure, convenient weapon storage within the bed of your vehicle. Plus our KQR installation system allows you to quickly add or remove mounts as needed. For the Mule Pro-FXT, a total of



LED - DOME LIGHT

Front and rear LED Dome Lights illuminate the interior of your vehicle's cabin for increased visibility while reading a map or organizing your belongings. Battery operated design allow for a quick, wireless installation in the



LED LIGHTBAR


Work or play, some things need to get done after the sun goes down. This premium LED Lightbar mounts to the front of your vehicle's accessory Brush Guard and puts out 2,200 lumens in a wide beam flood pattern. (NOTE THIS

tools.

six rifles can be installed while vehicle is in 3-passenger mode and three rifles while in 6-passenger mode.

overhead console of your Hard Cab Enclosure. Purchase as an optional accessory of the Kawasaki Genuine Hard Cab Enclosure.

PART REQUIRES THE FOLLOWING PARTS). LED Lightbar Harness Kit KAF080-020: Fuse Box KAF080-042 and Brush Guard 99994-0412.



LED LIGHTBAR HARNESS KIT

A required component of the LED lightbar. This kit includes the primary LED Lightbar wiring harness and dash-mounted on/off switch.

MIRRORS - SIDE



Benefit from improved side and rear vehicle visibility. Automotive style mirrors are enclosed in a durable housing and easily install to your Front Hard Cab Enclosure Doors. Purchase as an optional accessory of the Kawasaki Genuine Hard Cab Enclosure. IMPORTANT NOTES: Usable only with Hard Cab Enclosure system.

PLASTIC ROOF

To suit Trans models Pro DXT

PREWASH - ON AND OFF ROAD

* Unique formula breakdown dirt, grime and oils while gently protecting paint and other delicate finishes * Safe on plastics, carbon fiber, paint, anodizing, aluminum, titanium, rubber * Biodegradable cleaning formula * Contains no harmful acids, CFC's or solvents * Will not harm seals or brake pads * Spray on, wash off, go ride * 32 US FLOZ (946mL)



REAR VIEW MIRROR

3D curved safety glass mirror provides excellent field of view. Durable textured block powder coating. Aluminum mounting with 43mm diameter clamp.

REDUCING BUSHING


When used with Hitch Ball Mount KAF138 or TX750-015, the Reducer Bushing is required, Kawasaki Genuine Accessories P/N: TLR36A

SKID PLATE - MID

Protects your drive chain and chassis with a durable brushed aluminium Kawasaki Genuine Skid Plate. Unlike the aftermarket plate, each genuine skid plate has been designed with precise ventilation holes and has been tested to prevent high engine temps during hard use or hot weather.

SKID PLATE - REAR

Protect your drive chain and chassis with a durable brushed aluminium Kawasaki Genuine Skid Plate. Unlike the aftermarket, each plate has been designed with precise ventilation holes and has been tested to prevent high engine temps during hard use or hot weather.



SPRINGS - HEAVY DUTY

Heavy duty Springs increase bottoming resistance when carrying a heavy load and or when heavy accessories such as a Kawasaki Genuine Cab Enclosure. Includes: two front springs and two rear springs. IMPORTANT NOTES: Direct replacement of stock springs.

STORAGE COVER

Protect your vehicle from damage during storage with this premium cover. Durable polyester fabric is UV resistant to prevent fading and features silkscreened Kawasaki Logos for a O.E.M appearance. Important notes: Not for towing.

TAIL LIGHT GUARDS

Reduce the risk of impact, and ultimately the occurrence of unnecessary repairs. Powder coated in textured black to provide a uniform look with stock components.

TRAILER HITCH

* Heavy duty 2" steel drawbar with welded gusset * Pin and clip included . When used with Hitch Ball Mount KAF138 or TX750-015, the Reducer Bushing is required, Kawasaki Genuine Accessories P/N: TLR36A



TRAILER HITCH BALL

2" Chrome plated trailer hitch ball . Includes nut and lock washer. 3/4" diameter shank. 1&1/2" shank length. When used with Hitch Ball Mount KAF138 (for Mule) or TX750-015 (for Terxy), a reducer Bushing is required. Kawasaki Genuine Accessories part number TLR36A.



TRAILER HITCH CAP

* Plastic hitch cap with durable domed polyurethane coating * Custom Kawasaki logo * Fits most 2" receivers



TRAILER HITCH PIN 5/8 INCH

* Use with receiver-type trailer drawbars * Includes easy to install & remove hairpin clip * 5/8" Hitch Pin for 2" Drawbar * FOR REPLACEMENT ONLY



UNDERSEAT STORAGE BIN

Storage space is always a premium, especially when on the trail or at the job site. Adds additional storage securely and out of sight with this ease-to-access under seat storage bin. Mounts under front bench seat. Polyethylene construction with black powder coated steel brackets. Matching snap-on lid. Storage bin removes easily once installed. 22 litre storage capacity.



WARN PROVANTAGE 4500 WINCH

16.76 metres of wire rope and a plow roller fairlead. Hook, tie rods, and body feature attractive, corrosion-resistant black finish. Three-stage planetary gear train for smooth, efficient operation. Ergonomic clutch handle. Patented roller disc brake for outstanding control. Fully sealed motor and drive train to keep the elements out. Includes illuminated dash-mounted control switch and corded remote. All-metal gear housing and gears. IMPORTANT NOTES: Winch Mount 99994-0411 and Accessory Fuse Box KAF080-042 required for installation.



WARN PROVANTAGE 4500S WINCH

15.24 metres of synthetic rope with double powder-coated fairlead. Hook, tie rods and body feature attractive, corrosion-resistant black finish. Three-stage planetary gear train for smooth, efficient operation. Ergonomic clutch handle. Patented roller disc brake for outstanding control. Fully sealed motor and drive train to keep the elements out. Includes illuminated dash-mounted control switch and corded remote. All-metal gear housing and gears. IMPORTANT NOTES: Winch Mount 99994-0411 and Accessory Fuse Box KAF080-042 required for installation.



WINCH MOUNT

A Winch Mount is required when installing a WARN ProVantage or Vantage winch and roller fairlead to your vehicle. Four-bolt pattern allows for hassle-free installation of WARN products. IMPORTANT NOTES: Required when installing a winch



WINDSHIELD WIPER

Dramatically improve your visibility during a storm or clear debris off the windshield with our automotive style Windshield Wiper. The kit mounts to the center portion of your windshield favoring the driver. It is switch operated and features a 110 degree sweep radius for the 50.8cm flex blade. Purchase as an optional accessory for the Kawasaki Genuine Hard Cab Enclosure with full windshield - GLASS KAF080-041 installed. IMPORTANT NOTES: Requires installation of Hard Cab Enclosure system, Front Accessory Harness KAF080-043 and Accessory Fuse Box KAF080-042. (NOT COMPATIBLE WITH FULL WINDSHIELD - PLASTIC KAF080-001).